

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

			TO DIVINITOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
APPLICATION NO.	FILING DATE 09/04/2001		FIRST NAMED INVENTOR	004770.00018	9859 MINER
			Miika Silfverberg		
09/944,165			•	EXAM	
22907	7590	11/04/2003		SHAPIRO	LEONID
BANNER &	& WIT	COFF		L DO L DUT	PAPER NUMBER
1001 G STREET N W				ART UNIT	a
SUITE 1100	) TON F	NO 20001		2673	· ·
WASHING	TON, DC 20001			DATE MAILED: 11/04/200	13

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No	о.	Applicant(s)					
		09/944,165		SILFVERBERG ET AL.					
	Office Action Summary	Examiner		Art Unit					
		Leonid Shapiro		2673					
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address								
Period for Reply  A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM									
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH (3) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).									
Status									
, —	Responsive to communication(s) filed on 29 August 2003.								
	7-110 404011 10 1 11 12 12 1	This action is non		and the merite is					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.									
Disposition of Claims									
	4) Claim(s) 1,3-8,10,12-17,19,21 and 22 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.								
		iamii iloili oolisid							
•	5) Claim(s) is/are allowed.								
	6) Claim(s) 1,3-8,10,12-17,19,21 and 22 is/are rejected.								
	Claim(s) is/are objected to.	t/or election requi	irement.						
8) Claim(s) are subject to restriction and/or election requirement.  Application Papers									
9) The specification is objected to by the Examiner.									
5)⊡ · 10)⊠ T	he drawing(s) filed on <u>07 November 2001</u> is	s/are: a)□ accept	ed or b) 🛛 objected	to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.									
If approved, corrected drawings are required in reply to this Office action.									
12) The oath or declaration is objected to by the Examiner.									
	nder 35 U.S.C. §§ 119 and 120								
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).									
	] All b)☐ Some * c)☐ None of:								
	1. Certified copies of the priority docume								
	2.☐ Certified copies of the priority docume								
	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).								
* See the attached detailed Office action for a list of the certified copies not received.									
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).									
<ul> <li>a) ☐ The translation of the foreign language provisional application has been received.</li> <li>15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.</li> </ul>									
Attachment(s)  4) Interview Summary (PTO-413) Paper No(s)									
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(	, 5)	Interview Summa  Notice of Informal  Other:	ry (PTO-413) Paper No(s)  I Patent Application (PTO-152)					

Page 2

Application/Control Number: 09/944,165

Art Unit: 2673

#### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1, 3-8, 10, 12-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kung et al. (US Patent No. 6,570,583 B1) in view of Williams et al. (US Patent No. 5,542,138).

As to claim 1, Kung et al. teaches a hand held device, comprising a housing (See Figs. 3,11, items 30,50, in description See Col. 5, Lines 8-90; a display screen on the front of the device (See Figs. 8,11, items 50-51, 54, in description See Col. 4, Lines 30-35); a first input control, wherein the first user input control detects direction of first user input (See Fig, 8, item 69, in description See Col. 4, Lines 50-54); and a second user input control, wherein the second user input control detects a direction of second user input (See Fig, 8, item 68, in description See Col. 4, Lines 40-47); wherein, when user input is received through the first user input control, content on the display screen is panned in direction responsive to the detected direction of the first received user input (See Fig. 8,10, items 54,69, in description See Col. 4, Lines 55-67), and wherein , when user input is received through the second user input control, content on the display screen is zoomed in or out responsive to the detected direction of the second received user input (See Fig, 8,10-12, items 50-54,68, in description See Col. 4, Lines 40-54 and Col. 5, Lines 1-17).

Kung et al. does not show first and second input controls are located on a back of the device.

Art Unit: 2673

Williams et al. teaches the control module with input controls located on a back of the control module (See Fig. 3, items 40,74, in description See Col. 3, Lines 34-49). It would have been obvious to one of ordinary skill in the art at the time of the invention to implement user input control on a back of the control module as shown by Williams et al. in the Kung et al. apparatus in order to user quickly change the size of text and icons on the display (See Col. 2. Lines 17-18 in Kung et al. reference) and allow entry of patient data into the control module which can subsequently be viewed on the display (See Col. 2, Lines 9-11 in the Williams et al. reference).

As to claim 10, Kung et al. teaches a method for manipulating content displayed on a display screen of a hand held device and wherein the display screen is located on the front of the device (See Figs. 3,11, items 30,50, in description See Col. 5, Lines 8-90; a display screen (See Figs. 8,11, items 50-51, 54, in description See Col. 4, Lines 30-35), comprising the steps of: when user input is received through the first user input control capable of detecting a direction of user input, panning content on a display screen in a direction responsive to the detected direction of the first user input (See Fig. 8,10, items 54,69, in description See Col. 4, Lines 55-67), and when user input is received through the second user input control capable of detecting a direction of user input, content on the display screen is zoomed in or out responsive to the detected direction of the second user input (See Fig. 8,10-12, items 50-54,68, in description See Col. 4, Lines 40-54 and Col. 5, Lines 1-17), wherein first and second user input controls are located on the device (See Fig. 8, items 68-69, in description See Col. 4, Lines 40-42).

Kung et al. does not show first and second input controls are located on a back of the device.

Art Unit: 2673

Williams et al. teaches the control module with input controls located on a back of the control module (See Fig. 3, items 40,74, in description See Col. 3, Lines 34-49).

It would have been obvious to one of ordinary skill in the art at the time of the invention to implement user input control on a back of the control module as shown by Williams et al. in the Kung et al. method in order to user quickly change the size of text and icons on the display (See Col. 2. Lines 17-18 in Kung et al. reference) and allow entry of patient data into the control module which can subsequently be viewed on the display (See Col. 2, Lines 9-11 in the Williams et al. reference).

As to claims 3-7, 12-16 Kung et al. teaches controls comprising a touch pad, a trackball, a roller wheel, a joystick and a keypad button (See Fig. 8, items 64, 68-69, in description See Col. 4, Lines 40-54).

As to claims 8,17 Kung et al. does not show the first and second controls are each located in position that, when a user is holding the device with both hands on either side of the display screen, enables the user to manipulate one control with the user's right hand and one control with the user's left hand.

Williams et al. teaches the control module with input controls located on a back of the control module (See Fig. 3, items 40,74, in description See Col. 3, Lines 34-49).

It would have been obvious to one of ordinary skill in the art at the time of the invention to implement user input control on a back of the control module as shown by Williams et al. in the Kung et al. apparatus such way the first and second controls are each located in position that, when a user is holding the device with both hands on either side of the display screen, enables the user to manipulate one control with the user's right hand and one control with the user's left

Art Unit: 2673

hand in order to user to quickly change the size of text and icons on the display (See Col. 2. Lines 17-18 in Kung et al. reference) and allow entry of patient data into the control module which can subsequently be viewed on the display (See Col. 2, Lines 9-11 in the Williams et al. reference).

2. Claim 19, 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kung et al. in view of Conway et al. (US Patent No. 5,278,779) and further in view of Wang (US Patent No. 5,771,038).

As to claim 19, Kung et al. teaches a hand held device, comprising a housing (See Figs. 3,11, items 30,50, in description See Col. 5, Lines 8-90; a display screen on a front side of the housing (See Figs. 8,11, items 50-51, 54, in description See Col. 4, Lines 30-35); a first input control on the housing (See Fig, 8, item 69, in description See Col. 4, Lines 50-54): and a second user input control on the housing (See Fig, 8, item 68, in description See Col. 4, Lines 40-47); wherein, when user input is received through the first user input control, content on the display screen is panned in direction responsive to the detected direction of the first received user input (See Fig. 8,10, items 54,69, in description See Col. 4, Lines 55-67), and wherein, when user input is received through the second user input control, content on the display screen is zoomed in or out responsive to the detected direction of the second received user input (See Fig, 8,10-12, items 50-54,68, in description See Col. 4, Lines 40-54 and Col. 5, Lines 1-17).

Kung et al. does not show and the first and second user input controls are located on a back of the device.

Art Unit: 2673

Conway et al. teaches the control module with input controls located on a back of the control module (See Fig. 2A, items 22A-22B, in description See from Col. 2, Line 62 to Col. 3, Line5 and Col. 3, Lines 57-60).

It would have been obvious to one of ordinary skill in the art at the time of the invention to implement user input control on a back of the control module as shown by Conway et al. in the Kung et al. apparatus in order to user to quickly change the size of text and icons on the display (See Col. 2. Lines 17-18 in Kung et al. reference) and place the thumb and fingers of each hand on the right and left hand portions of the keyboard... (See Col. 2, Lines 62-65 in the Conway et al. reference).

Kung et al. and Conway et al. do not show first and second user input control as touch pads.

Wang teaches two touch panels on the mouse implementing different functions (See Fig. 13, items 122-123, in description See Col. 7, Lines 18-51). It would have been obvious to one of ordinary skill in the art at the time of the invention to implement user input controls using touch panels as shown by Wang in the Kung et al. and Conway et al apparatus in order to user to quickly change the size of text and icons on the display (See Col. 2. Lines 17-18 in Kung et al. reference).

As to claim 21, Kung et al., teaches horizontal panning is in the same direction as the received horizontal component of the first received user input, and wherein vertical panning is in a same direction as received vertical component of the first received user input, thereby allowing the user to interact with the display as if user is moving a displayed document with the user finger (See Figs. 8-9, item 69, in description See Col. 4, Lines 48-54).

Art Unit: 2673

As to claim 22, as best understood by examiner, Kung et al. teaches a hand held device, comprising a housing (See Figs. 3,11, items 30,50, in description See Col. 5, Lines 8-90; a display screen on a front side of the housing (See Figs. 8,11, items 50-51, 54, in description See Col. 4, Lines 30-35); a first input control on the housing (See Fig, 8, item 69, in description See Col. 4, Lines 50-54): and a second user input control on the housing (See Fig, 8, item 68, in description See Col. 4, Lines 40-47); wherein, when user input is received through the first user input control, content on the display screen is panned in direction responsive to the detected direction of the first received user input (See Fig. 8,10, items 54,69, in description See Col. 4, Lines 55-67), and wherein, when user input is received through the second user input control, content on the display screen is zoomed in or out responsive to the detected direction of the second received user input (See Fig, 8,10-12, items 50-54,68, in description See Col. 4, Lines 40-54 and Col. 5, Lines 1-17).

Kung et al. does not show and the first and second user input controls are located on a back of the device in such a position that when a user is holding the device with both hands on either side of the display screen, thumbs to front and four fingers to back, the user can manipulate the first input device with one or more of the four fingers of a first hand of the user.

Conway et al. teaches the control module with input controls located on a back of the control module in such a position that when a user is holding the device with both hands on either side of the display screen, thumbs to front and four fingers to back, the user can manipulate the first input device with one or more of the four fingers of a first hand of the user (See Fig. 2A, items 22A-22B, in description See from Col. 2, Line 62 to Col. 3, Line5 and Col. 3, Lines 57-60 and from Col. 1, Line 62 to Col. 2, Line 5).

Page 8

It would have been obvious to one of ordinary skill in the art at the time of the invention to implement user input control on a back of the control module as shown by Conway et al. in the Kung et al. apparatus in order to user to quickly change the size of text and icons on the display (See Col. 2. Lines 17-18 in Kung et al. reference) and place the thumb and fingers of each hand on the right and left hand portions of the keyboard... (See Col. 2, Lines 62-65 in the Conway et al. reference).

Kung et al. and Conway et al. do not show first and second user input control as touch pads.

Wang teaches two touch panels on the mouse implementing different functions (See Fig. 13, items 122-123, in description See Col. 7, Lines 18-51). It would have been obvious to one of ordinary skill in the art at the time of the invention to implement user input controls using touch panels as shown by Wang in the Kung et al. and Conway et al apparatus in order to user to quickly change the size of text and icons on the display (See Col. 2. Lines 17-18 in Kung et al. reference).

## Response to Amendment

3. Applicant's arguments filed 08-29-03 have been fully considered but they are not persuasive.

On page 7, 2<sup>nd</sup> paragraph of the Remarks, in relation to claims 1,8, 10 and 17 Applicant's stated that in order to reject claim as obvious three criteria must exist. In fourth and fifth paragraphs on the same page Applicant's agreed that that all limitations will be met if Williams remote control must be opened in order to expose the controls (criteria 2-3). However, in order

Art Unit: 2673

to operate cover (display panel) must be open, allow to use input devices (See Fig. 3, items 40, 74 and 70, in description See Col. 3, Lines 34-49 in the Williams reference).

On the same page, last paragraph and in the first paragraph of page 8, Applicant's stated that the Office Action does not provide any suggestion or motivation to combine two references. However, motivation to combine two references (criteria 3) could be found in both references (See Col. 2, Lines 17-18 in Kung reference and Col. 2, Lines 9-11 in Williams et al. reference). Also, See page 3 of the Final Rejection.

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). 4. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

## Telephone inquire

Art Unit: 2673

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leonid Shapiro whose telephone number is 703-305-5661. The examiner can normally be reached on 8 a.m. to 5 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 703-305-4938. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4750.

ls

VIJAY SHANKAR PRIMARY EXAMINER